




CITY OF HENDERSON
240 Water Street
P.O. Box 95050
Henderson, NV 89009
702-267-3610

BUILDING & FIRE SAFETY

702-267-3650
Fax 702-267-3603

NOTES:

1. IF DIMENSION 'A' IS LESS THAN 32 INCHES, THEN DIMENSION 'B' SHALL BE A MINIMUM OF 60 INCHES.
2. IF DIMENSION 'A' IS 32 INCHES OR MORE, THEN THE TOTAL OF DIMENSION 'A' AND 'B' SHALL BE A MINIMUM OF 60 INCHES.
3. ALL HEIGHT MEASUREMENTS ARE TAKEN ON THE SIDE OF THE FENCE AWAY FROM THE SUBJECT POOL.
4. VERTICAL PICKETS IN THE UPPER PORTION OF THE FENCE SHALL NOT BE GREATER THAN 4 INCHES APART.
5. THE UPPER PORTION OF THE FENCE SHALL BE PLACED AS CLOSED AS POSSIBLE TO THE SIDE OF THE FENCE AWAY FROM THE SUBJECT POOL, OR CENTERED IF THERE IS A POOL ON BOTH SIDES OF THE FENCE.
6. THERE SHALL BE NO OTHER HORIZONTAL MEMBERS ON THE UPPER PORTION OF THE FENCE UNLESS THEY ARE PLACED ON THE INSIDE OF THE FENCE AND THE VERTICAL MEMBER OF SPACING IS REDUCED TO 1-3/4 INCHES APART.



SECTION

NTS

DRAWING NAME:

SWIMMING POOL SAFETY BARRIER

DRAWING NO.:

BFS-5

DATE:

AUGUST 2007